

ANALYTICAL REPORT

Sample Code: EKA2-26-08-02422

Received On: 10/08/2026

Sample Name: Berberis Aristata Extract

Analysed Between: 10/08/2026 to 11/08/2026

Sample Quantity: 110 g

Sampling Details: Not Sampled by Eureka

Sample Appearance: Yellow Colour Powder

Condition On Receipt: Good

Customer Provided Details: Batch No : CIFOW-11 |

Mfg Date : 07.2026 | Exp Date : 07.2029 |

Manufactured by : Northern Lifescience

Test Results

Sr. No.	Test Code	Test Parameter	Test Method	Result	Unit
Chemical					
1	E1NI10356	Ash	API (Part-II, Vol-I)	0.53	g/100g



Mr. Rameshwar Dayal - Manager

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Private Limited

31st Milestone, Main GT Road, Near AMR Mall, Kundli, Sonipat, Haryana- 131028, India.

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

ANALYTICAL REPORT

Sample Code: EKA1-26-08-04595

Received On: 12/08/2026

Sample Name: Berberis Aristata Extract

Analysed Between: 15/08/2026 to 17/08/2026

Sample Quantity: 25g

Sampling Details: Not Sampled by Eureka

Sample Appearance: Yellow Colour Powder

Condition On Receipt: Good

Customer Provided Details: Batch No : CIFOW-11 |


Mfg Date : 07.2026 | Exp Date : 07.2029 |

Manufactured by : Northern Lifescience

Test Results

Sr. No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Chemical						
1	E1NI4363	Assay	EKA-CHE-SOP-118	99.68	g/100 g	0.1

LOQ: Limit of Quantification



Mr Nageswara Rao - Team Lead

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Private Limited

AB Square, #617,5th Main, OMBR Layout, Kasturi Nagar Main Road, Banaswadi,Bengaluru,Karnataka,India

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

ANALYTICAL REPORT

Sample Code: EKA2-26-08-02426

Received On: 10/08/2026

Sample Name: Berberis Aristata Extract

Analysed Between: 10/08/2026 to 11/08/2026

Sample Quantity: 110 g

Sampling Details: Not Sampled by Eureka

Sample Appearance: Yellow Colour Powder

Condition On Receipt: Good

Customer Provided Details: Batch No : CIFOW-11 |

Mfg Date : 07.2026 | Exp Date : 07.2029 |

Manufactured by : Northern Lifescience

Test Results

Sr. No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Inorganic						
1	E1II1009	Lead as Pb	EKA-CHE-SOP-108	BLQ	mg/kg	0.025
2	E1II1011	Mercury as Hg	EKA-CHE-SOP-108	BLQ	mg/kg	0.025
3	E1II1010	Cadmium as Cd	EKA-CHE-SOP-108	0.824	mg/kg	0.025
4	E1II1008	Arsenic as As	EKA-CHE-SOP-108	0.061	mg/kg	0.025

LOQ: Limit of Quantification

BLQ: Below Limit of Quantification.



Mohit Tyagi - Deputy Manager

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

Eureka Analytical Services Private Limited

31st Milestone, Main GT Road, Near AMR Mall, Kundli, Sonipat, Haryana- 131028, India.

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

***** END OF REPORT *****

ANALYTICAL REPORT

Sample Code: EKA2-26-08-02424

Received On: 10/08/2026

Sample Name: Berberis Aristata Extract

Analysed Between: 10/08/2026 to 15/08/2026

Sample Quantity: 110 g

Sampling Details: Not Sampled by Eureka

Sample Appearance: Yellow colour powder

Condition On Receipt: Good

Customer Provided Details: Batch No.: CIFOW-11|

Mfg Date: 07/2026| Exp. Date: 07/2029| Manufactured

by : Northern Lifescience

Test Results

Sr. No.	Test Code	Test Parameter	Test Method	Result	Unit
Biological					
1	E1MI1696	Total Aerobic Microbial count	ISO 4833-1:2013 AMD-1:2022	<10	cfu/g
2	E1MI430	Yeast and Mold	IS 5403 : 1999, RA: 2018	<10	Cfu /g
3	E1MI935	Salmonella spp	ISO 6579 (Part 01):2017 Amd.-1:2020	Absent	/25g
4	E1MI1005	Staphylococcus aureus	IS 5887 (P-2):1976 (RA 2022)	Absent	/g
5	E1MI604	Escherichia coli	IS 5887(P-1):1976 (RA 2022)	Absent	/g



Rajesh Kumar - Deputy Manager

Authorised Signatory

Biological

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Eureka Analytical Services Private Limited

31st Milestone, Main GT Road, Near AMR Mall, Kundli, Sonipat, Haryana- 131028, India.

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

ANALYTICAL REPORT

Sample Code: EKA2-26-08-02424

Received On: 10/08/2026

Sample Name: Berberis Aristata Extract

Analysed Between: 10/08/2026 to 15/08/2026

Sample Quantity: 110 g

Sampling Details: Not Sampled by Eureka

Sample Appearance: Yellow colour powder

Condition On Receipt: Good

Customer Provided Details: Batch No.: CIFOW-11|

Mfg Date: 07/2026| Exp. Date: 07/2029| Manufactured

by : Northern Lifescience

Test Results

Sr. No.	Test Code	Test Parameter	Test Method	Result	Unit
Biological					
1	E1MI439	<i>Pseudomonas aeruginosa</i>	EKA-MB-SOP-26	Absent	/g
2	E1MI1493	<i>Bile Tolerant Gram Negative Bacteria</i>	USP-NF (2021)	<10	MPN /g



Rajesh Kumar - Deputy Manager

Authorised Signatory

Biological

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Private Limited

31st Milestone, Main GT Road, Near AMR Mall, Kundli, Sonipat, Haryana- 131028, India.

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

ANALYTICAL REPORT

Sample Code: EKA2-26-08-02425

Received On: 10/08/2026

Sample Name: Berberis Aristata Extract

Analysed Between: 10/08/2026 to 12/08/2026

Sample Quantity: 110 g

Sampling Details: Not Sampled by Eureka

Sample Appearance: Yellow Colour Powder

Condition On Receipt: Good

Customer Provided Details: Batch No : CIFOW-11 |

Mfg Date : 07.2026 | Exp Date : 07.2029 |

Manufactured by : Northern Lifescience

PESTICIDE

Test Results

Sr. No.	Test Parameter	Test Method	Result	Unit	LOQ	Limit
1	All Analysed Pesticides	EKA-CHE-SOP-28	BLQ	mg/kg	-	-

Only the detected molecules are presented in the table. All other molecules listed below are reported as BLQ.

1. 1-Naphthylacetamide (0.01)	2. 1-Naphthylacetic acid (0.01)	3. 2,4-D (0.01)	4. 2-phenyl phenol (0.01)
5. 3-Hydroxycarbofuran (0.01)	6. 4-Chloro-3-methylphenol (0.01)	7. Acephate (0.01)	8. Acetamiprid (0.01)
9. Acetochlor (0.01)	10. Acibenzolar-S-methyl (0.01)	11. Acrinathrin (0.01)	12. Afidopyropen (0.01)
13. Alachlor (0.01)	14. Aldicarb (0.01)	15. Aldrin (0.01)	16. Ametoctradin (0.01)
17. Ametryn (0.01)	18. Amidosulfuron (0.01)	19. Aminopyralid (0.01)	20. Amisulbrom (0.01)
21. Amitrole (0.01)	22. Anilofos (0.01)	23. Anthraquinone (0.01)	24. Aramite (0.01)
25. Asulam (0.01)	26. Atrazine (0.01)	27. Azadirachtin (0.01)	28. Azimsulfuron (0.01)
29. Azinphos-methyl (0.01)	30. Azoxystrobin (0.01)	31. Beflubutamid (0.01)	32. Benfuracarb (0.01)
33. Bifenazate (0.01)	34. Bifenazate-diazene (0.01)	35. Bifenazate (Sum, Bifenazate and Bifenazate-diazene) (0.01)	36. Bifenox (0.01)
37. Bifenthrin (0.01)	38. Binapacryl (0.01)	39. Bitertanol (0.01)	40. Boscalid (0.01)
41. Bromadiolone (0.01)	42. Bromophos (Bromophos-methyl) (0.01)	43. Bromophos-ethyl (0.01)	44. Bromopropylate (0.01)
45. Bromoxynil (0.01)	46. Bupirimate (0.01)	47. Butachlor (0.01)	48. Butralin (0.01)
49. Cadusafos (0.01)	50. Captafol (0.01)	51. Carbaryl (0.01)	52. Carbetamide (0.01)
53. Carbofuran (0.01)	54. Carbosulfan (0.01)	55. Carboxin (0.01)	56. Carfentrazone-ethyl (0.01)
57. Chlorantraniliprole (0.01)	58. Chlorbenside (0.01)	59. Chlorbufam (0.01)	60. Chlorfenapyr (0.01)
61. Chlorfenvinphos (0.01)	62. Chlorfluazuron (0.01)	63. Chloridazon (0.01)	64. Clodinafop (0.01)

Eureka Analytical Services Private Limited

31st Milestone, Main GT Road, Near AMR Mall, Kundli, Sonipat, Haryana- 131028, India.

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

TC- 9108

65. Clofentezine (0.01)	66. Clopyralid (0.01)	67. Clothianidin (0.01)	68. Cyantraniliprole (0.01)
69. Cyazofamid (0.01)	70. Cycloxydim (0.01)	71. Cyflufenamid (0.01)	72. Cyflumetofen (0.01)
73. Cyfluthrin (0.01)	74. Chlorimuron ethyl (0.01)	75. Chlorothalonil (0.01)	76. Chlorotoluron (0.01)
77. Chloroxuron (0.01)	78. Chlorpropham (0.01)	79. Chlorpyrifos methyl (0.01)	80. Chlorsulfuron (0.01)
81. Chlorthiamid (0.01)	82. Cyhalothrin-lambda (0.01)	83. Cymoxanil (0.01)	84. Cypermethrin (0.01)
85. Cyprodinil (0.01)	86. Cyromazine (0.01)	87. Dazomet (0.01)	88. DDE-o,p (0.01)
89. DDT-o,p (0.01)	90. Demeton-s-methyl sulfone (0.01)	91. Diafenthiuron (0.01)	92. Diazinon (0.01)
93. Dichlorvos (DDVP) (0.01)	94. Dieldrin (0.01)	95. Diethofencarb (0.01)	96. Difenconazole (0.01)
97. Diflubenzuron (0.01)	98. Diflufenican (0.01)	99. Dimethachlor (0.01)	100. Dimethenamid (0.01)
101. Dimethoate (0.01)	102. Dimethomorph (0.01)	103. Dimoxystrobin (0.01)	104. Diniconazole (0.01)
105. Dinoseb (0.01)	106. Dinotefuran (0.01)	107. Dinoterb (0.01)	108. Dioxathion (0.01)
109. Disulfoton (0.01)	110. Dithianon (0.01)	111. Diuron (0.01)	112. Dodine (0.01)
113. Edifenphos (0.01)	114. Endrin (0.01)	115. Epoxiconazole (0.01)	116. Ethion (0.01)
117. Ethiprole (0.01)	118. Ethofumesate (0.01)	119. Ethoprophos (0.01)	120. Ethoxyquin (0.01)
121. Etoxazole (0.01)	122. Etridiazole (0.01)	123. Etrifos (0.01)	124. Famoxadone (0.01)
125. Fenamidone (0.01)	126. Fenarimol (0.01)	127. Fenazaquin (0.01)	128. Fenbutatin oxide (0.01)
129. Fenhexamid (0.01)	130. Fenitrothion (0.01)	131. Fenobucarb (0.01)	132. Fenoxycarb (0.01)
133. Fenpropathrin (0.01)	134. Fenthion (0.01)	135. Fenthion sulfone (0.01)	136. Fenthion sulfoxide (0.01)
137. Fipronil (0.002)	138. Fipronil sulfone (0.002)	139. Flonicamid (0.01)	140. Fluazifop (0.01)
141. Flubendiamide (0.01)	142. Flucythrinate (0.01)	143. Fludioxonil (0.01)	144. Flufenacet (0.01)
145. Flufenoxuron (0.01)	146. Fluometuron (0.01)	147. Fluopicolide (0.01)	148. Flupyradifurone (0.01)
149. Flusilazole (0.01)	150. Fluxapyroxad (0.01)	151. Furathiocarb (0.01)	152. Heptachlor (0.01)
153. Hexaconazole (0.01)	154. Hexythiazox (0.01)	155. Imidacloprid (0.01)	156. Indoxacarb (0.01)
157. Iprodione (0.01)	158. Iprovalicarb (0.01)	159. Isoprothiolane (0.01)	160. Isoproturon (0.01)
161. Kresoxim-methyl (0.01)	162. Linuron (0.01)	163. Lufenuron (0.01)	164. Malathion (0.01)
165. Mandipropamid (0.01)	166. Mepanipyrim (0.01)	167. Metazachlor (0.01)	168. Methamidophos (0.01)
169. Methomyl (0.01)	170. Methoxychlor (0.01)	171. Metrafenone (0.01)	172. Metribuzin (0.01)
173. Monocrotophos (0.01)	174. Monuron (0.01)	175. Myclobutanil (0.01)	176. Novaluron (0.01)
177. Oxadiazon (0.01)	178. Oxamyl (0.01)	179. Oxyfluorfen (0.01)	180. Paclobutrazol (0.01)
181. Paraoxon (Paraoxon-ethyl) (0.01)	182. Parathion methyl (0.01)	183. Parathion (Parathion ethyl) (0.01)	184. Penconazole (0.01)
185. Pencycuron (0.01)	186. Pendimethalin (0.01)	187. Pentachloro-aniline (0.01)	188. Pentachlorobenzene (0.01)
189. Phenthoate (0.01)	190. Phorate (0.01)	191. Phorate sulfone (0.01)	192. Phorate sulfoxide (0.01)
193. Phosalone (0.01)	194. Phosphamidon (0.01)	195. Phoxim (0.01)	196. Picloram (0.01)
197. Picoxystrobin (0.01)	198. Piperonyl butoxide (0.01)	199. Pirimicarb (0.01)	200. Pirimiphos-ethyl (0.01)
201. Pirimiphos-methyl (0.01)	202. Pretilachlor (0.01)	203. Procymidone (0.01)	204. Profenofos (0.01)
205. Propachlor (0.01)	206. Propamocarb (0.01)	207. Propanil (0.01)	208. Propargite (0.01)
209. Propetamphos (0.01)	210. Propiconazole (0.01)	211. Propoxur (0.01)	212. Pymetrozine (0.01)
213. Pyraclostrobin (0.01)	214. Pyrazophos (0.01)	215. Pyridaben (0.01)	216. Pyriproxyfen (0.01)
217. Quinalphos (0.01)	218. Quinmerac (0.01)	219. Quizalfop-P (0.01)	220. Resmethrin (0.01)
221. Rimsulfuron (0.01)	222. Simazine (0.01)	223. Spirodiclofen (0.01)	224. Spiromesifen (0.01)
225. Spirotetramat (0.01)	226. Spirotetramat-mono-hydroxy (0.01)	227. Spiroxamine (0.01)	228. tau-Fluvalinate (0.01)
229. Tebuconazole (0.01)	230. Tebufenpyrad (0.01)	231. Tecnazene (0.01)	232. Teflubenzuron (0.01)
233. Tefluthrin (0.01)	234. Temephos (0.01)	235. Terbufos (0.01)	236. Terbutylazine (0.01)
237. Tetraconazole (0.01)	238. TFNA (Flonicamid metabolite) (0.01)	239. TFNG (Flonicamid metabolite) (0.01)	240. Thiabendazole (0.01)
241. Thiacloprid (0.01)	242. Thiamethoxam (0.01)	243. Thiodicarb (0.01)	244. Thiophanate-methyl (0.01)

Eureka Analytical Services Private Limited

31st Milestone, Main GT Road, Near AMR Mall, Kundli, Sonipat, Haryana- 131028, India.

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

TC- 9108

245. Tolfenpyrad (0.01)	246. Transfluthrin (0.01)	247. Triadimefon (0.01)	248. Triadimenol (0.01)
249. Triazophos (0.01)	250. Trichlorfon (Dylox) (0.01)	251. Tricyclazole (0.01)	252. Tridemorph (0.01)
253. Trifloxystrobin (0.01)	254. Triflumuron (0.01)	255. Trifluralin (0.01)	256. Triticonazole (0.01)
257. Zoxamide (0.01)	258. Fluopyram (0.01)	259. Methiocarb (0.01)	260. Methiocarb sulfone (0.01)
261. Methiocarb sulfoxide (0.01)	262. Quizalofop ethyl (0.01)	263. Buprofezin (buprofezin) (0.01)	264. Deltamethrin (0.01)
265. Iprobenfos (0.01)	266. Oxadiargyl (0.01)	267. Tebufenozide (0.01)	268. Thiocyclam (0.01)
269. Aldicarb sulfone (0.01)	270. Aldicarb-sulfoxide (0.01)	271. Fluazifop-butyl (0.01)	272. Flutriafol (0.01)
273. Nitenpyram (0.01)	274. Oxydemeton-methyl (0.01)	275. Paraoxon-methyl (0.01)	276. Chlordane (cis) (0.01)
277. Chlordane (trans) (0.01)	278. Diclofop-methyl (0.01)	279. Endosulfan alpha (0.01)	280. Endosulfan-beta (0.01)
281. 2,4,5-T (0.01)	282. Amitraz (0.01)	283. Azamethiphos (0.01)	284. Bentazone (0.01)
285. Bixafen (0.01)	286. Carpropamid (0.01)	287. Cinidon-ethyl (0.01)	288. Coumaphos (0.01)
289. Cycloate (0.01)	290. Daminozide (0.01)	291. Desmedipham (0.01)	292. Dichlofluanid (0.01)
293. Diphenamid (0.01)	294. EPTC (0.01)	295. Ethirimol (0.01)	296. Ethoxysulfuron (0.01)
297. Fenamiphos (0.01)	298. Fenamiphos-sulfone (0.01)	299. Fenpropidin (0.01)	300. Fensulfothion (0.01)
301. Flazasulfuron (0.01)	302. Fluazinam (0.01)	303. Fluridone (0.01)	304. Fluroxapyr (0.01)
305. Flurprimidole (0.01)	306. Flurtamone (0.01)	307. Foramsulfuron (0.01)	308. Fuberidazole (0.01)
309. Imazalil (0.01)	310. Imazamox (0.01)	311. Imazapic (0.01)	312. Imazaquin (0.01)
313. Imazethapyr (0.01)	314. Imazosulfuron (0.01)	315. Ipconazole (0.01)	316. Isopyrazam (0.01)
317. Isoxaflutole (0.01)	318. Lactofen (0.01)	319. MCPA (0.01)	320. Mecarbam (0.01)
321. Mesosulfuron-methyl (0.01)	322. Mesotrione (0.01)	323. Metaflumizone (0.01)	324. Metamitron (0.01)
325. Methabenzthiazuron (0.01)	326. Methidathion (0.01)	327. Methoprene (0.01)	328. Methoxyfenozide (0.01)
329. Metolcarb (0.01)	330. Metosulam (0.01)	331. Metsulfuron-methyl (0.01)	332. Monolinuron (0.01)
333. Nicosulfuron (0.01)	334. Ovex (Chlorfenson) (0.01)	335. Oxasulfuron (0.01)	336. Pethoxamid (0.01)
337. Phosmet (0.01)	338. Picolinafen (0.01)	339. Prochloraz (0.01)	340. Prohexadione-Calcium (0.01)
341. Propaquizafop (0.01)	342. Proquinazid (0.01)	343. Prosulfuron (0.01)	344. Pyrazosulfuron ethyl (0.01)
345. Pyridalyl (0.01)	346. Pyrimethanil (0.01)	347. Rotenone (0.01)	348. Saflufenacil (0.01)
349. Sethoxydim (0.01)	350. Silthiofam (0.01)	351. Sulfosulfuron (0.01)	352. Tebupirimfos (0.01)
353. Tetrahydrophthalimide (THPI) (0.01)	354. Thifensulfuron-methyl (0.01)	355. Thifluzamide (0.01)	356. Tolclofos-methyl (0.01)
357. Tolyfluanid (0.01)	358. Triasulfuron (0.01)	359. Benfluralin (Benefin) (0.01)	360. Biphenyl (0.01)
361. Butylate (0.01)	362. Carbophenothion (0.01)	363. Chlorobenzilate (0.01)	364. Cyhalofop-butyl (0.01)
365. Ethiofencarb (0.01)	366. Fenpropimorph (0.01)	367. Fluquinconazole (0.01)	368. Flutolanil (0.01)
369. Fonofos (0.01)	370. Hexachlorobenzene (HCB) (0.01)	371. Isoxaben (0.01)	372. Lenacil (0.01)
373. Mepronil (0.01)	374. Metconazole (0.01)	375. Molinate (0.01)	376. Napropamide (0.01)
377. Oxadixyl (0.01)	378. Prallethrin (0.01)	379. Tetradifon (0.01)	380. Triflumizole (0.01)
381. Captan (0.01)	382. Chlorpyrifos (0.01)	383. Omethoate (0.01)	384. Folpet (0.01)
385. Propyzamide (0.01)	386. Prosulfocarb (0.01)	387. Prothioconazole (0.01)	388. 3-Hydroxymethylsulfentrazone (0.01)
389. 4,4'-DDD (0.01)	390. 4,4'-DDE (0.01)	391. 4-Bromo-2-chlorophenol (0.01)	392. 6-Benzylaminopurine (0.01)
393. Allethrin (0.01)	394. Alpha-BHC (Alpha-HCH) (0.01)	395. Anilazine (Dyrene) (0.01)	396. Benalaxyl (0.01)
397. Bensulfuron methyl (0.01)	398. Benthocarb (0.01)	399. Beta-BHC (Beta-HCH) (0.01)	400. BHC (Lindane) (0.01)
401. Bioallethrin (0.01)	402. Bioresmethrin (0.01)	403. Bispyribac Sodium (0.01)	404. Bromacil (0.01)
405. Cartap Hydrochloride (0.01)	406. Chlormequat Chloride (0.01)	407. Chlorthal-dimethyl (0.01)	408. Cinmethylin (0.01)
409. Cinosulfuron (0.01)	410. Clodinafop free acid (0.01)	411. Clodinafop propargyl ester (0.01)	412. Cyclosulfamuron (0.01)

Eureka Analytical Services Private Limited

31st Milestone, Main GT Road, Near AMR Mall, Kundli, Sonipat, Haryana- 131028, India.

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

TC- 9108

413. Cyhalothrin (0.01)	414. Cyhexatin (0.01)	415. Daimuron (Dymron) (0.01)	416. Demeton-S-methyl-sulfoxide (0.01)
417. Diclosulam (0.01)	418. Dicofol (Kelthane) (0.01)	419. Difluroethylamino- furanone (0.01)	420. Dimethenamid-P (0.01)
421. Dimethylvinphos (0.01)	422. Dinocap (0.01)	423. Diquat (0.01)	424. Disulfoton sulfone (0.01)
425. Disulfoton sulfoxide (0.01)	426. Dithiopyr (0.01)	427. Emamectine benzoate (mixture of B1a and B1b) (0.01)	428. Fenamiphos sulfoxide (0.01)
429. Fenchlorphos (0.01)	430. Fenoxanil (0.01)	431. Fenoxaprop p-ethyl (R-enantiomer) (0.01)	432. Fensulfothion-oxon-sulfone (0.01)
433. Fenvalerate (0.01)	434. Flucetosulfuron (0.01)	435. Forchlorfenuron (0.01)	436. Formetanate hydrochloride (0.01)
437. Halosulfuron-methyl (0.01)	438. Haloxyfop (0.01)	439. Haloxyfop-p Methyl (0.01)	440. Heptachlor epoxide (Isomer B) (0.01)
441. Heptachlor-endo-epoxide (trans, isomer A) (0.01)	442. Hexaflumuron (0.01)	443. Imibenconazole (0.01)	444. Inabenfide (0.01)
445. Iodosulfuron methyl sodium (0.01)	446. Isufenphos (0.01)	447. Isoprocab (0.01)	448. Isotianil (0.01)
449. Kasugamycin (0.01)	450. Malaoxon (0.01)	451. Maleic hydrazide (0.01)	452. MCPB (0.01)
453. Mefenacet (0.01)	454. Mepiquat (0.01)	455. Metalaxyl (0.01)	456. Metalaxyl-M (0.01)
457. Methacrifos (0.01)	458. Methomyl oxime (0.01)	459. Metolachlor (0.01)	460. Neristoxin (0.01)
461. Norflurazon (0.01)	462. Norflurazon-desmethyl (0.01)	463. Oxycarboxin (0.01)	464. Pentachloronitrobenzene (Quintozone) (0.01)
465. Pentachlorothioanisole (0.01)	466. Permethrin (0.01)	467. Phenmedipham (0.01)	468. Phenothrin (0.01)
469. Phosphonic acid (0.01)	470. Pinoxaden (0.01)	471. Piperophos (0.01)	472. Probenazole (0.01)
473. Prometryn (0.01)	474. Propham (0.01)	475. Prothiofos (0.01)	476. Pyraflufen-ethyl (0.01)
477. Pyrazolynate (0.01)	478. Pyrethrins (0.01)	479. Pyridaphenthion (0.01)	480. Pyridate (0.01)
481. Pyriftalid (0.01)	482. Pyrithiolac Sodium (0.01)	483. Pyroquilon (0.01)	484. Simetryn (0.01)
485. S-Metolachlor (0.01)	486. Sodium Aceflourofen (0.01)	487. Sodium Para Nitro Phenolate (0.01)	488. Spinetoram A (0.01)
489. Spinetoram B (0.01)	490. Spinosad A (0.01)	491. Spinosad D (0.01)	492. Spirotetramat Metabolite BYI0830-cis-enol (0.01)
493. Sulfentrazone (0.01)	494. Sulfentrazone and its metabolite Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone (0.01)	495. Sulfoxaflor (0.01)	496. TEPP standard (0.01)
497. Terbutryne (0.01)	498. Tetrachlorvinphos (0.01)	499. TFNG (0.01)	500. Thiazolymethylurea (TZMU) (0.01)
501. Thiofanox sulfone (0.01)	502. Thiofanox Sulfoxide (0.01)	503. Tri-allate (0.01)	504. Triazamate (0.01)
505. Triphenyltin chloride (0.01)	506. Validamycin (Technical) (0.01)	507. Warfarin (0.01)	508. Carbendazim (0.01)
509. Carbofuran (sum, Carbofuran, carbosulfan, benfuracarb, furathiocarb and 3-OH carbofuran) (0.01)	510. Meptyl dinocap (0.01)	511. Paraquat (0.01)	512. Fluazifop-P-buthyl (0.01)
513. Mirex (0.01)	514. S-421 (0.01)	515. Spinosyn A (0.01)	516. Spinosyn D (0.01)
517. Etofenprox (Ethofenprox) (0.01)	518. Benomyl (0.01)	519. Bromuconazole (Sum) (0.01)	520. 4-Chlorophenyl methyl sulfone (0.01)
521. Endosulfan total sulfate (0.01)	522. Methyl parathion (0.01)	523. Thiazolymethylguanidine (TMG) (0.01)	

LOQ: Limit of Quantification

Eureka Analytical Services Private Limited

31st Milestone, Main GT Road, Near AMR Mall, Kundli, Sonipat, Haryana- 131028, India.

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

BLQ: Below Limit of Quantification.

Sample Remark / Conclusion:	The analysed sample is in accordance to EU regulation (EC) 396/2005 (regulation on maximum residue levels in food and feed) in its currently valid version. Note: Conclusion is provided with reference to tested analytes only.
-----------------------------	--



Mohit Tyagi - Deputy Manager

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

ANALYTICAL REPORT

Sample Code: EKA1-26-08-04596

Received On: 12/08/2026

Sample Name: Berberis Aristata Extract

Analysed Between: 13/08/2026 to 14/08/2026

Sample Quantity: 25g

Sampling Details: Not Sampled by Eureka

Sample Appearance: Yellow Colour Powder

Condition On Receipt: Good

Customer Provided Details: Batch No : CIFOW-11 |

Mfg Date : 07.2026 | Exp Date : 07.2029 |

Manufactured by : Northern Lifescience

Test Results

Sr. No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Chemical						
1	EINI3995	Water Content	USP 921	11.39	g/100 g	0.1

LOQ: Limit of Quantification



Mr Preetham Kumar K V - Team Lead

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Private Limited

AB Square, #617,5th Main, OMBR Layout, Kasturi Nagar Main Road, Banaswadi,Bengaluru,Karnataka,India

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732